

Streaming Water. Streaming Life!



Light-Weight Fittings

Light-Weight Fittings

Light-Weight Fittings



- Agriculture
- Landscape
- Building Infrastructure
- Industry

Description: Light-weight fittings for irrigation networks and low-pressure conveyance of water.

Range: Barbed series from Ø 16mm up to Ø 25mm, threaded series from Ø ½" up to Ø 1"

Pressure Rating: 6 bar at 20°C


* For other working temperatures please refer to the company

Materials: Polyacetal or Polypropylene copolymer PP-B

The fittings are suitable for use in potable water supply systems

The fittings are suitable for exposure to sunlight (UV) with excellent chemical resistance

Products Configuration:



Light-Weight Fittings

for Tapes -

D

No. **699**
for Tapes
Offtake



Code	Size	Bag	Box	
699000017	8 • 17		800	S
699000022	8 • 22		500	S

No. **699A**
for Tapes
Offtake with Rubber



Code	Size	Bag	Box	
699A00017	8 • 17		700	S
699A00022	8 • 22		1000	S

No. **697A**
for Tapes
Gromet



Code	Size	Bag	Box	
697A00817	8 • 17		1500	S
697A00822	8 • 22		750	S

No. **697**
for Tapes
Gromet with Rubber



Code	Size	Bag	Box	
697000817	8 • 17		1500	S
697001217	12 • 17		1000	S
697001222	12 • 22		600	S

No. **696A**
for Tapes
Multi Outlets x 1" Female



Code	Size	Bag	Box	
696A30217	2 - 1" x 17		250	S
696A30317	3 - 1" x 17		200	S
696A30417	4 - 1" x 17		150	S
696A30617	6 - 1" x 17		200	S

No. **695**
for Tapes
Take Off



Code	Size	Bag	Box	
695000017	10 • 17		1000	S
695000022	10 • 22		400	S

No. **576**
Layflat
Layflat Starter Female



Code	Size	Bag	Box	
576000001	½"		500	S
576000002	¾"		1000	S

No. **576T**
Layflat
Layflat Starter



Code	Size	Bag	Box	
576T00017	17		1	S
576T00022	22		1	S