

Light-Weight Fittings

Light-Weight Fittings

Light-Weight Fittings



- Agriculture
- Landscape
- Building Infrastructure
- Industry

Light-Weight Fittings

Description: Light-weight fittings for irrigation networks and

low-pressure conveyance of water.

Range: Barbed series from Ø 16mm up to Ø 25mm,

threaded series from Ø 1/2" up to Ø 1"

Pressure Rating: 6 bar at 20°C


* For other working temperatures please refer to the company

Materials: Polyacetal or Polypropylene copolymer PP-B

The fittings are suitable for use in potable water supply systems

The fittings are suitable for exposure to sunlight (UV) with excellent chemical resistance

Products Configuration:





Light-Weight Fittings

Bag

for Tapes

for Tapes

No. 691

Code

691001717

691002222

Coupling

Size

17 x 17

22 x 22



Box

600 S

400 S

No.	
690B	

for Tapes

End Plug



Code	Size	Bag	Вох
690B00017	17		900 S
690B00022	22		600 S

for Tapes Tee

No. 693



Code	Size	Bag	Вох	
693001717	17 x 17 x 17		700 S	
693002222	22 x 22 x 22		400 S	

for Tapes

No. **Adaptor Barbed** 690



Code	Size	Bag	Вох	
690001617	16 x 17		750 S	
690002017	20 x 17		650 S	
690002022	20 x 22		450 S	

for Tapes

No. 690 **Adaptor Male**



Code	Size	Bag	Box	
690001710	17 x ¾"		750	S
690001701	17 x ½"		1000	S
690001702	17 x ³ / ₄ "		750	S
690002210	22 x 3/8"		500	S
690002202	22 x ¾"		500	S

for Tapes

No. **Tee Male**

694



Code	Size	Bag	Box	
694001701	17 x ½" x 17		400 S	
694001702	17 x ¾" x 17		700 S	
694002201	22 x ½" x 22		750 S	
694002202	22 x ¾" x 22		750 S	

for Tapes

No. 692A **Elbow Male**



Code	Size	Bag	Box	
692A01701	17 x ½"		500 S	
692A01702	17 x ¾"		500 S	