

Printing date 01.08.2024 Version number 22 (replaces version 21)

Revision: 01.08.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Trade name: GRF KOLMAT JR 450G*12 NLFR

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** Bison International B.V. Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

• Further information obtainable from: PSRA • 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS07

Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling: pumice
- · Hazard statements
- H319 Causes serious eye irritation.

(Contd. on page 2)



Printing date 01.08.2024 Version number 22 (replaces version 21) Revision: 01.08.2024 Trade name: GRF KOLMAT JR 450G*12 NLFR (Contd. of page 1) H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Use only outdoors or in a well-ventilated area. P271 Wear eye protection / face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with national regulations. · Additional information: EUH208 Contains Cement, portland, chemicals, Flue dust, portland cement, N-1-naphthylaniline. May produce an allergic reaction. · Labelling of packages where the contents do not exceed 125 ml · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: pumice Hazard statements H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P271 Use only outdoors or in a well-ventilated area. P501 Dispose of contents/container in accordance with national regulations. · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

Dangerous components:		
CAS: 1332-09-8 EC number: 603-719-3	pumice	25-50%
CAS: 12001-85-3 EINECS: 234-409-2	Naphthenic acids, zinc salts Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥0.25-<19
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals	≥0.1-<1%

GB



Printing date 01.08.2024

Version number 22 (replaces version 21)

Revision: 01.08.2024

Trade name: GRF KOLMAT JR 450G*12 NLFR

		(Contd. of page 2)
CAS: 68475-76-3	Flue dust, portland cement	≥0.1-<1%
EINECS: 270-659-9 Reg.nr.: 01-2119486767-17	♦ Eye Dam. 1, H318; \$\stackslash Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 1314-13-2	Zinc oxide	≥0.25-<1%
EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32- XXXX	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 90-30-2	N-1-naphthylaniline	≥0.1-<0.25%
EINECS: 201-983-0	STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1B, H317	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

(Contd. on page 4)



Printing date 01.08.2024 Version number 22 (replaces version 21)

Revision: 01.08.2024

(Contd. of page 3)

Trade name: GRF KOLMAT JR 450G*12 NLFR

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 11

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

· PNECs

1314-13-2 Zinc oxide

	0.0144 mg/l
Fresh water sediment	146.9 mg/kg dry weight
Marine water	0.0072 mg/l
Marine sediment	162.2 mg/kg dry weight
Soil	83.1 mg/kg
Sewage treatment plant	

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment

 General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
 Respiratory protection: Not required.

(Contd. on page 5)

⁻ GB -



Printing date 01.08.2024 Version number 22 (replaces version 21) Revision: 01.08.2024

Trade name: GRF KOLMAT JR 450G*12 NLFR

Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR
- · Penetration time of glove material
- For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).
- Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Physical state Solid · Colour: According to product specification · Odour: Recognisable · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range Undetermined. · Flammability Not determined. · Lower and upper explosion limit Not determined. · Lower: Not determined. · Upper: · Flash point: Not applicable. Not determined. · Decomposition temperature: Not applicable. · pH · Viscosity: · Kinematic viscosity Not applicable. Not applicable. · Dynamic: · Solubility Insoluble. · water: · Partition coefficient n-octanol/water (log Not determined. value) · Vapour pressure: Not applicable. (Contd. on page 6) GB

(Contd. of page 4)



Printing date 01.08.2024

Version number 22 (replaces version 21)

Revision: 01.08.2024

Trade name: GRF KOLMAT JR 450G*12 NLFR

	(Contd. of page s
 Density and/or relative density 	
· Density at 20 °C:	1.768 g/cm³
Relative density	Not determined.
· Vapour density	Not applicable.
Particle characteristics	
See section 3.	
· 9.2 Other information	All relevant physical data were determined for the
	mixture. All non-determined data are no
	measurable or not relevant for the
	characterization of the mixture.
· Appearance:	
· Form:	Pasty
· Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not applicable.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• **10.3 Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 7)

⁻ GB



Printing date 01.08.2024

Version number 22 (replaces version 21)

Revision: 01.08.2024

Trade name: GRF KOLMAT JR 450G*12 NLFR

(Contd. of page 6)

• **10.4 Conditions to avoid** No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:			
1314-13-2 Zinc oxide			
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	5.7 mg/l (rat)	
90-30-2 N	-1-naphth	ylaniline	
Oral	LD50	1625 mg/kg (rat)	
Germ cell Not applic Based on Carcinoge Reproduc STOT-sin STOT-rep Aspiration Additiona Acute effe Sensitisat Repeated 11.2 Infor	mutagen able. available o enicity Ba stive toxic gle expos eated exp n hazard B I toxicolo ects (acut tion Not a dose tox mation or	data, the classification criteria are not met. sed on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. sure May cause respiratory irritation. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. gical information: e toxicity, irritation and corrosivity) Not applicable. pplicable. icity Not applicable. n other hazards	
Endocrine disrupting properties None of the ingredients is listed.			

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Printing date 01.08.2024 Version number 22 (replaces version 21) Revision

Revision: 01.08.2024

(Contd. of page 7)

Trade name: GRF KOLMAT JR 450G*12 NLFR

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Harmful to fish

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	not regulated
· ADN	- not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
· Transport/Additional information:	Not dangerous according to the abo specifications.



Printing date 01.08.2024

Version number 22 (replaces version 21)

Revision: 01.08.2024

(Contd. of page 8)

Trade name: GRF KOLMAT JR 450G*12 NLFR

· UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 10)



Printing date 01.08.2024 Version number 22 (replaces version 21)

Revision: 01.08.2024

Trade name: GRF KOLMAT JR 450G*12 NLFR

	(Contd. of page 9
· Classification according to Regulation (EC) N	lo 1272/2008
Serious eye damage/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
· Department issuing SDS: PSRA	
· Contact: PSRA	
• Date of previous version: 17.05.2024	
· Version number of previous version: 21	
• Abbreviations and acronyms:	
	cal Substances
Eye Dam. 1: Serious eye damage/eye irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) -	Catagory 3
STOT RE 2: Specific target organ toxicity (repeated exposure)	
Aquatic Acute 1: Hazardous to the aquatic environment - aci	ute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - le	
Aquatic Chronic 3: Hazardous to the aquatic environment - le	ong-term aquatic nazaro – Category 3