IH RISERS

Simplify point-to-point irrigation with vandal-resistant, heavy-duty IH Risers.

KEY BENEFITS

- Heavy-duty, military-grade, vandal-resistant design
- · Made of flexible PVC for durability
- Brown components blend in with the landscape
- Purple fittings available for reclaimed water applications
- Accepts any ½" FPT emitter
- · Ideal for slope applications
- · At-grade or below-grade installation
- · Available in multiple lengths for easy assembly
- Available as components for custom lengths

OPERATING SPECIFICATIONS

• Maximum flow: 26.5 I/min

• Maximum pressure: 4.1 bar; 410 kPa

• Warranty period: 2 years



Example:

IH-RISER-12 = 30 cm flexible PVC riser with preglued ½" fittings

IH RISER COMPONENTS (SOLD SEPARATELY)	
Model	Description
SCREEN-CV	Filter screen with 3.6 m check valve
IH-FIT-3850	¾" x ½" MPT IH fitting
IH-FIT-3850-R	¾" x ½" MPT IH fitting (reclaimed)
IH-250	75 m length of flexible PVC irrigation hose

RECOMMENDED GLUES FOR FLEXIBLE PVC

- IPS® Weld-On®:
 - P-68[™] primer (recommended for PVC fittings only)
 - P-70[™] primer (may be used, but P-68 is suggested)
 - 795™ Flex PVC cement
- Christy's[®]:
 - Purple Primer® or Red Hot Clear Primer® (fittings only)
 - Flex Pro PVC pipe cement
 - Red Hot Blue Glue® (not specialised for flexible PVC)





SCREEN-CVFilter screen with 3.6 m check valve



IH-FIT-3850, IH-FIT-3850-R ¾" x ½" MPT IH fitting



IH-250 Flexible PVC for creating headers or custom risers

Compatible with:



Point-Source Emitters Page 188



Bubblers Page 88



Multi-Port Emitters Page 190

IPS, Weld-On, P-68, P-70, and 795 are trademarks of IPS Corporation. Christy's, Purple Primer, Red Hot Clear Primer, and Red Hot Blue Glue are trademarks of T. Christy Enterprises.

