

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 24

SDS No.: 541371

V015.0 Revision: 04.12.2024

printing date: 19.12.2024

Replaces version from: 25.09.2024

LOCTITE 577 ACC50ML EGFD

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LOCTITE 577 ACC50ML EGFD UFI: YV45-MX91-P201-PJR3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Adhesive

1.3. Details of the supplier of the safety data sheet

Henkel Ltd

Adhesives

Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +

+44 (1442) 278000

SDSinfo.Adhesive@henkel.com

For Safety Data Sheet updates please visit our website www.mysds.henkel.com or www.henkel-adhesives.com.

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Skin sensitizer Category 1

H317 May cause an allergic skin reaction.

Chronic hazards to the aquatic environment Category 3

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (CLP):



Contains

Tetramethylene dimethacrylate

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 2 of 24

V015.0

2,2'-Ethylenedioxydiethyl dimethacrylate

Acetic acid, 2-phenylhydrazide maleic acid

Reaction mass of N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy-N-[2-[(1-oxooctadecyl)amino]ethyl]

| Signal word: | Warning |
|--|--|
| Hazard statement: | H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statement: | "***" ***For consumer use only: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P501 Dispose of contents/container in accordance with national regulation.*** |
| Precautionary statement: Prevention | P273 Avoid release to the environment. P280 Wear protective gloves. |
| Precautionary statement: Response | P333+P313 If skin irritation or rash occurs: Get medical advice/attention. |

2.3. Other hazards

None if used properly.

Following substances are present in a concentration \geq the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration \geq the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

LOCTITE 577 ACC50ML EGFD Page 3 of 24

V015.0

SDS No.: 541371

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components CAS-No. | Concentration | Classification | Specific Conc. Limits, M- factors and ATEs | Add. Information |
|---|--|---|--|---------------------|
| EC Number REACH-Reg No. | | | | |
| Tetramethylene dimethacrylate 2082-81-7 218-218-1 01-2119967415-30 | 10- < 20 % | Skin Sens. 1B, H317 | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 203-652-6 01-2119969287-21 | 5-< 10 % | Skin Sens. 1B, H317 | dermal:ATE = > 5.000 mg/kg inhalation:ATE = 28,17 mg/l;dust/mist | |
| Acetic acid, 2-phenylhydrazide 114-83-0 204-055-3 01-2120951382-56 | 0,1-< 1 % | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4, Oral, H302 Skin Sens. 1, H317 Carc. 2, H351 | M acute = 1 M chronic = 1 | |
| Cumene hydroperoxide 80-15-9 201-254-7 01-2119475796-19 | 0,1-< 1 % | STOT RE 2, H373 Skin Corr. 1B, H314 Acute Tox. 2, Inhalation, H330 Aquatic Chronic 2, H411 Acute Tox. 4, Oral, H302 Acute Tox. 4, Dermal, H312 Org. Perox. E, H242 STOT SE 3, H335 | Eye Irrit. 2; H319; C 1 - < 3 % Skin Irrit. 2; H315; C 3 - < 10 % Eye Dam. 1; H318; C 3 - < 10 % STOT SE 3; H335; C >= 1 % Skin Corr. 1B; H314; C >= 10 % ===== dermal:ATE = 1.100 mg/kg | |
| maleic acid 110-16-7 203-742-5 01-2119488705-25 | 0,1-< 1 % | Acute Tox. 4, Oral, H302 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, Dermal, H312 | Skin Sens. 1; H317; C >= 0,1 % | |
| Reaction mass of N,N'-ethane- 1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy-N- [2-[(1-oxooctadecyl)amino]ethyl] | 0,1-< 1 % | Skin Sens. 1, H317 | | |
| 01-2119978265-26 | | | | |
| Menadione 58-27-5 200-372-6 01-2120773243-56 | 0,0025-< 0,025 % (25 ppm-<250 ppm) | Acute Tox. 4, Oral, H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | M acute = 10 M chronic = 10 | |

If no ATE values are displayed, please refer to LD/LC50 values in Section 11. For full text of the H - statements and other abbreviations see section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air, consult doctor if complaint persists.

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 4 of 24

V015.0

Skin contact:

Rinse with running water and soap.

Obtain medical attention if irritation persists.

Eve contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Prolonged or repeated contact may cause eye irritation.

SKIN: Rash, Urticaria.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

In case of fire, keep containers cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid contact with skin and eyes.

Wear protective equipment.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

See advice in section 8

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 5 of 24

V015.0

Hygiene measures:

Wash hands before work breaks and after finishing work.
Do not eat, drink or smoke while working.
Good industrial hygiene practices should be observed.

$\textbf{7.2. Conditions for safe storage, including any incompatibilities} \\ Ensure good ventilation/extraction.$

Ensure good ventilation/extraction. Store in a cool, dry place. Refer to Technical Data Sheet.

7.3. Specific end use(s)

Adhesive

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 6 of 24

V015.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Great Britain

| Ingredient [Regulated substance] | ppm | mg/m³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|---|-----|-------|------------------------------|--|-----------------|
| Ethene, homopolymer 9002-88-4 [DUST, INHALABLE DUST] | | 10 | Time Weighted Average (TWA): | | EH40 WEL |
| Ethene, homopolymer 9002-88-4 [DUST, RESPIRABLE DUST] | | 4 | Time Weighted Average (TWA): | | EH40 WEL |
| Silicon dioxide 112945-52-5 [SILICA, AMORPHOUS, INHALABLE DUST] | | 6 | Time Weighted Average (TWA): | | EH40 WEL |
| Silicon dioxide 112945-52-5 [SILICA, AMORPHOUS, RESPIRABLE DUST] | | 2,4 | Time Weighted Average (TWA): | | EH40 WEL |
| Silicon dioxide 112945-52-5 [Dust, respirable dust] | | 4 | Time Weighted Average (TWA): | | EH40 WEL |
| Silicon dioxide 112945-52-5 [Dust, inhalable dust] | | 10 | Time Weighted Average (TWA): | | EH40 WEL |

Occupational Exposure Limits

Valid for

Ireland

| Ingredient [Regulated substance] | ppm | mg/m ³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|------------------------------|--|-----------------|
| Ethene, homopolymer 9002-88-4 [DUSTS NON-SPECIFIC] | | 10 | Time Weighted Average (TWA): | | IR_OEL |
| Ethene, homopolymer 9002-88-4 [DUSTS NON-SPECIFIC] | | 4 | Time Weighted Average (TWA): | | IR_OEL |
| Silicon dioxide 112945-52-5 [SILICA, AMORPHOUS] | | 6 | Time Weighted Average (TWA): | | IR_OEL |
| Silicon dioxide 112945-52-5 [SILICA, AMORPHOUS] | | 2,4 | Time Weighted Average (TWA): | | IR_OEL |
| Silicon dioxide 112945-52-5 [DUSTS NON-SPECIFIC] | | 10 | Time Weighted Average (TWA): | | IR_OEL |
| Silicon dioxide 112945-52-5 [DUSTS NON-SPECIFIC] | | 4 | Time Weighted Average (TWA): | | IR_OEL |

LOCTITE 577 ACC50ML EGFD Page 7 of 24

V015.0

SDS No.: 541371

Predicted No-Effect Concentration (PNEC):

| Name on list Environmental Exposure Value Compartment period | | | | | | Remarks | |
|--|------------------------------------|---------------|-----------------|-----|-----------------|---------|----------------------------------|
| | | P 2220 | mg/l | ppm | mg/kg | others | |
| Tetramethylene dimethacrylate 2082-81-7 | aqua (freshwater) | | 0,043 mg/l | | | | |
| Tetramethylene dimethacrylate 2082-81-7 | aqua (marine water) | | 0,004 mg/l | | | | |
| Tetramethylene dimethacrylate 2082-81-7 | aqua (intermittent releases) | | 0,098 mg/l | | | | |
| Tetramethylene dimethacrylate 2082-81-7 | sewage treatment plant (STP) | | 2 mg/l | | | | |
| Tetramethylene dimethacrylate 2082-81-7 | sediment (freshwater) | | | | 3,12 mg/kg | | |
| Tetramethylene dimethacrylate 2082-81-7 | sediment (marine water) | | | | 0,312 mg/kg | | |
| Tetramethylene dimethacrylate 2082-81-7 | Soil | | | | 0,573 mg/kg | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | aqua (freshwater) | | 0,164 mg/l | | | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | aqua (marine water) | | 0,0164 mg/l | | | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | sewage treatment plant (STP) | | 10 mg/l | | | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | aqua (intermittent releases) | | 0,164 mg/l | | | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | sediment (freshwater) | | | | 1,85 mg/kg | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | sediment (marine water) | | | | 0,185 mg/kg | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | Soil | | | | 0,274 mg/kg | | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | Air | | | | | | no hazard identified |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | Predator | | | | | | no potential for bioaccumulation |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | aqua (freshwater) | | 0,0031 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | aqua (intermittent releases) | | 0,031 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | aqua (marine water) | | 0,00031 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | sewage treatment plant (STP) | | 0,35 mg/l | | | | |
| .alpha.,,alphaDimethylbenzyl hydroperoxide 80-15-9 | sediment (freshwater) | | | | 0,023 mg/kg | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | sediment (marine water) | | | | 0,0023 mg/kg | | |
| alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | Soil | | | | 0,0029 mg/kg | | |
| Maleic acid 110-16-7 | aqua (freshwater) | | 0,1 mg/l | | | | |
| Maleic acid 110-16-7 | aqua (intermittent releases) | | 0,4281 mg/l | | | | |
| Maleic acid 110-16-7 | sediment (freshwater) | | | | 0,334 mg/kg | | |
| Maleic acid 110-16-7 | sewage treatment plant (STP) | | 44,6 mg/l | | | | |

LOCTITE 577 ACC50ML EGFD Page 8 of 24

V015.0

SDS No.: 541371

| | | | _ | | |
|-------------|----------------|-----------|---|--------|--|
| Maleic acid | aqua (marine | 0,01 mg/l | | | |
| 110-16-7 | water) | | | | |
| Maleic acid | sediment | | | 0,0334 | |
| 110-16-7 | (marine water) | | | mg/kg | |
| Maleic acid | Soil | | | 0,0415 | |
| 110-16-7 | | | | mg/kg | |

LOCTITE 577 ACC50ML EGFD Page 9 of 24

V015.0

SDS No.: 541371

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|--|-----------------------|----------------------|--|------------------|-------------|----------------------|
| Tetramethylene dimethacrylate 2082-81-7 | Workers | dermal | Long term exposure - systemic effects | | 4,2 mg/kg | |
| Tetramethylene dimethacrylate 2082-81-7 | Workers | inhalation | Long term exposure - systemic effects | | 14,5 mg/m3 | |
| Tetramethylene dimethacrylate 2082-81-7 | General population | inhalation | Long term exposure - systemic effects | | 4,3 mg/m3 | |
| Tetramethylene dimethacrylate 2082-81-7 | General population | dermal | Long term exposure - systemic effects | | 2,5 mg/kg | |
| Tetramethylene dimethacrylate 2082-81-7 | General population | oral | Long term exposure - systemic effects | | 2,5 mg/kg | |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | Workers | inhalation | Long term exposure - systemic effects | | 48,5 mg/m3 | no hazard identified |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | Workers | dermal | Long term exposure - systemic effects | | 13,9 mg/kg | no hazard identified |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | General population | inhalation | Long term exposure - systemic effects | | 14,5 mg/m3 | no hazard identified |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | General population | dermal | Long term exposure - systemic effects | | 8,33 mg/kg | no hazard identified |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | General population | oral | Long term exposure - systemic effects | | 8,33 mg/kg | no hazard identified |
| .alpha,alphaDimethylbenzyl hydroperoxide 80-15-9 | Workers | inhalation | Long term exposure - systemic effects | | 6 mg/m3 | |
| Maleic acid 110-16-7 | Workers | dermal | Acute/short term exposure - local effects | | | |
| Maleic acid 110-16-7 | Workers | dermal | Long term exposure - local effects | | | |
| Maleic acid 110-16-7 | Workers | dermal | Acute/short term exposure - systemic effects | | | |
| Maleic acid 110-16-7 | Workers | dermal | Long term exposure - systemic effects | | | |
| Maleic acid 110-16-7 | Workers | inhalation | Acute/short term exposure - local effects | | 3 mg/m3 | |
| Maleic acid 110-16-7 | Workers | inhalation | Long term exposure - systemic effects | | 3 mg/m3 | |
| Maleic acid 110-16-7 | Workers | inhalation | Long term exposure - local effects | | 3 mg/m3 | |
| Maleic acid 110-16-7 | Workers | inhalation | Acute/short term exposure - systemic effects | | 3 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | Workers | inhalation | Long term exposure - systemic effects | | 35,24 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | Workers | inhalation | Acute/short term exposure - systemic effects | | 35,24 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | Workers | inhalation | Long term exposure - local effects | | 3,35 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | Workers | inhalation | Acute/short term exposure - local | | 3,35 mg/m3 | |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 10 of 24

V015.0

| | | | effects | | |
|--|--------------------|------------|--|------------|--|
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | General population | inhalation | Long term exposure - systemic effects | 8,69 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide) | General population | inhalation | Acute/short term exposure - systemic effects | 8,69 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide) | General population | inhalation | Long term exposure - local effects | 0,83 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | General population | inhalation | Acute/short term exposure - local effects | 0,83 mg/m3 | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | General population | oral | Long term exposure - systemic effects | 5 mg/kg | |
| N,N'-Ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide) | General population | oral | Acute/short term exposure - systemic effects | 5 mg/kg | |

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Protective eye equipment should conform to EN166.

Skin protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Delivery form liquid

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 11 of 24

V015.0

рΗ

Colour yellow
Odor mild, Acrylic
Physical state liquid

Melting point Not applicable, Product is a liquid

Solidification temperature < -30 °C (< -22 °F)

Initial boiling point > 150 °C (> 302 °F)no method / method unknown

Flammability The product is not flammable.

Explosive limits Not applicable, The product is not flammable. Flash point $> 100 \,^{\circ}\text{C} \ (> 212 \,^{\circ}\text{F});$ no method / method unknown Auto-ignition temperature Not applicable, The product is not flammable.

Decomposition temperature Not applicable, Substance/mixture is not self-reactive, no organic

Slight

Not applicable Mixture

peroxide and does not decompose under foreseen conditions of use

70.000,00 - 130.000,00 mPa.s LCT STM 10; Viscosity Brookfield

Not applicable, Product is non-polar/aprotic.

Viscosity (kinematic) > 20,5 mm2/s

(40 °C (104 °F);) Viscosity, dynamic

(Brookfield; Instrument: RVT; 25 °C (77 °F);

speed of rotation: 2,5 min-1; Spindle No: 6)
Solubility (qualitative)

(20 °C (68 °F); Solvent: Water) Partition coefficient: n-octanol/water

Vapour pressure < 300 mbar;no method / method unknown (50 °C (122 °F))
Vapour pressure < 0.13 mbar

Vapour pressure <0,13 mbar (20 °C (68 °F))

Density 1,15 - 1,2 g/cm3 no method / method unknown

(20 °C (68 °F))
Relative vapour density: > 1

(20 °C)

Particle characteristics Not applicable

Product is a liquid

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with strong oxidants.

Strong bases.

Acids.

Reducing agents.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

Stable under normal conditions of storage and use.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

carbon oxides.

Hydrocarbons

Rapid polymerisation may generate excessive heat and pressure.

nitrogen oxides

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 12 of 24

V015.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|---|---------------|---------------|---------|---|
| Tetramethylene dimethacrylate 2082-81-7 | LD50 | 10.066 mg/kg | rat | equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | LD50 | 10.837 mg/kg | rat | not specified |
| Acetic acid, 2- phenylhydrazide 114-83-0 | LD50 | 310 mg/kg | rat | OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure) |
| Cumene hydroperoxide 80-15-9 | LD50 | 382 mg/kg | rat | other guideline: |
| maleic acid 110-16-7 | LD50 | 708 mg/kg | rat | not specified |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1- amide), Octadecanamide, 12-hydroxy-N-[2-[(1- oxooctadecyl)amino]ethyl] | LD50 | > 2.000 mg/kg | rat | OECD Guideline 423 (Acute Oral toxicity) |
| Menadione 58-27-5 | LD50 | 500 mg/kg | rat | not specified |

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Species | Method |
|---|-------------------------------|---------------|---------|------------------|
| CAS-No. | type | | | |
| Tetramethylene dimethacrylate 2082-81-7 | LD50 | > 3.000 mg/kg | rabbit | not specified |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | Acute toxicity estimate (ATE) | > 5.000 mg/kg | | Expert judgement |
| Cumene hydroperoxide 80-15-9 | Acute toxicity estimate (ATE) | 1.100 mg/kg | | Expert judgement |
| maleic acid 110-16-7 | LD50 | 1.560 mg/kg | rabbit | not specified |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 13 of 24

V015.0

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Test atmosphere | | Species | Method |
|---------------------------|----------|-------------|-----------------|------|---------|----------------------------|
| CAS-No. | type | | | time | | |
| 2,2'-Ethylenedioxydiethyl | Acute | 28,17 mg/l | dust/mist | | | Expert judgement |
| dimethacrylate | toxicity | | | | | |
| 109-16-0 | estimate | | | | | |
| | (ATE) | | | | | |
| Cumene hydroperoxide | LC50 | 1,370 mg/l | vapour | 4 h | rat | not specified |
| 80-15-9 | | | | | | _ |
| Reaction mass of N,N'- | LC50 | > 5,05 mg/l | dust/mist | 4 h | rat | OECD Guideline 436 (Acute |
| ethane-1,2-diylbis(12- | | | | | | Inhalation Toxicity: Acute |
| hydroxyoctadecan-1- | | | | | | Toxic Class (ATC) Method) |
| amide), Octadecanamide, | | | | | | |
| 12-hydroxy-N-[2-[(1- | | | | | | |
| oxooctadecyl)amino]ethyl | | | | | | |
|] | | | | | | |
| | | | | | | |

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|---|----------------------------|---------------|--|---|
| Tetramethylene dimethacrylate 2082-81-7 | not irritating | 24 h | rabbit | FDA Guideline |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | not irritating | 24 h | rabbit | Draize Test |
| Acetic acid, 2- phenylhydrazide 114-83-0 | not corrosive | | Human, EpiSkinTM (SM), Reconstructed Human Epidermis (RHE) | OECD Guideline 431 (In Vitro Skin Corrosion: Reconstructed Human Epidermis (RHE) Test Method) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | not irritating | | Human, EpiSkinTM (SM), Reconstructed Human Epidermis (RHE) | OECD Guideline 439 (In Vitro Skin Irritation: Reconstructed Human Epidermis (RHE) Test Method) |
| Cumene hydroperoxide 80-15-9 | corrosive | | rabbit | Draize Test |
| maleic acid 110-16-7 | irritating | 24 h | human | Patch Test |
| Menadione 58-27-5 | not corrosive | | Human, EpiDermTM SIT (EPI-200), Reconstructed Human Epidermis (RHE) | OECD Guideline 431 (In Vitro Skin Corrosion: Reconstructed Human Epidermis (RHE) Test Method) |
| Menadione 58-27-5 | irritating or corrosive | | Human, EpiSkinTM (SM), Reconstructed Human Epidermis (RHE) | OECD Guideline 439 (In Vitro Skin Irritation: Reconstructed Human Epidermis (RHE) Test Method) |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 14 of 24

V015.0

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|---|------------------------------|---------------|--|--|
| Tetramethylene dimethacrylate 2082-81-7 | not irritating | | rabbit | equivalent or similar to OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | not irritating | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | not irritating | | Chicken, eye, isolated | OECD Guideline 438 (Isolated Chicken Eye Test Method) |
| maleic acid 110-16-7 | highly irritating | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Menadione 58-27-5 | no prediction can be made | | Bovine, cornea, in vitro test | OECD Guideline 437 (BCOP) |
| Menadione 58-27-5 | no prediction can be made | | Reconstructed three dimensional human cornea model (EpiOcular TM) | OECD Guideline 492 (Reconstructed Human Cornea-like Epithelium (RhCE) Test Method) |

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances | Result | Test type | Species | Method |
|---|-------------|--|--|--|
| CAS-No. Tetramethylene dimethacrylate 2082-81-7 | sensitising | Mouse local lymphnode assay (LLNA) | mouse | OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | sensitising | Mouse local lymphnode assay (LLNA) | mouse | OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | positive | Direct peptide reactivity assay (DPRA) | cysteine and lysine, in chemico test | OECD Guideline 442C (Direct Peptide Reactivity Assay (DPRA)) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | positive | Activation of keratinocytes | human keratinocytes, in vitro test | OECD Guideline 442D (ARE-Nrf2 Luciferase Test Method) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | positive | activation of dendritic cells | human monocytes, in vitro test | OECD Guideline 442E (H-CLAT: Human Cell Line Activation Test) |
| maleic acid 110-16-7 | sensitising | Mouse local lymphnode assay (LLNA) | mouse | OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay) |
| maleic acid 110-16-7 | sensitising | Mouse local lymphnode assay (LLNA) | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1- amide), Octadecanamide, 12-hydroxy-N-[2-[(1- oxooctadecyl)amino]ethyl] | sensitising | Guinea pig maximisation test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| Menadione 58-27-5 | sensitising | Guinea pig maximisation test | guinea pig | not specified |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 15 of 24

V015.0

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|---|--|--|--|---------|--|
| Tetramethylene dimethacrylate 2082-81-7 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Tetramethylene dimethacrylate 2082-81-7 | negative | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Tetramethylene dimethacrylate 2082-81-7 | positive without metabolic activation | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Tetramethylene dimethacrylate 2082-81-7 | negative | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | negative | in vitro mammalian cell micronucleus test | with and without | | OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | positive | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | negative | in vitro mammalian cell micronucleus test | with and without | | OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test) |
| Cumene hydroperoxide 80-15-9 | positive | bacterial reverse mutation assay (e.g Ames test) | without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| maleic acid 110-16-7 | negative | bacterial reverse mutation assay (e.g Ames test) | no data | | Ames Test |
| maleic acid 110-16-7 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Menadione 58-27-5 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Tetramethylene dimethacrylate 2082-81-7 | negative | oral: gavage | | mouse | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) |
| Cumene hydroperoxide 80-15-9 | negative | dermal | | mouse | not specified |

Carcinogenicity

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous components CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Sex | Method |
|--|------------------|-------------------------|---|---------|-------------|--|
| Acetic acid, 2- phenylhydrazide 114-83-0 | carcinogenic | oral: drinking water | continuous | mouse | male/female | not specified |
| maleic acid 110-16-7 | not carcinogenic | oral: feed | 2 y daily | rat | male/female | OECD Guideline 451 (Carcinogenicity Studies) |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 16 of 24

V015.0

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances | Result / Value | Test type | Route of | Species | Method |
|---------------------------|----------------------|------------|--------------|---------|--------------------------|
| CAS-No. | | | application | | |
| 2,2'-Ethylenedioxydiethyl | NOAEL P 1.000 mg/kg | | oral: gavage | rat | OECD Guideline 422 |
| dimethacrylate | | | | | (Combined Repeated Dose |
| 109-16-0 | NOAEL F1 1.000 mg/kg | | | | Toxicity Study with the |
| | | | | | Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |
| maleic acid | NOAEL F1 150 mg/kg | Two | oral: gavage | rat | OECD Guideline 416 (Two- |
| 110-16-7 | | generation | | | Generation Reproduction |
| | NOAEL F2 55 mg/kg | study | | | Toxicity Study) |
| | | - | | | |

STOT-single exposure:

No data available.

STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Route of application | Exposure time / Frequency of treatment | Species | Method |
|---|-------------------|------------------------|--|---------|---|
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | NOAEL 1.000 mg/kg | oral: gavage | daily | rat | OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Cumene hydroperoxide 80-15-9 | | inhalation: aerosol | 6 h/d 5 d/w | rat | not specified |
| maleic acid 110-16-7 | NOAEL >= 40 mg/kg | oral: feed | 90 d daily | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 17 of 24

V015.0

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|-----------------------------|-------|------------------|---------------|-----------------------|---------------------------------|
| CAS-No. | type | | | | |
| Tetramethylene | LC50 | 32,5 mg/l | 48 h | | DIN 38412-15 |
| dimethacrylate | | | | | |
| 2082-81-7 | | | | | |
| 2,2'-Ethylenedioxydiethyl | LC50 | 16,4 mg/l | 96 h | Danio rerio | OECD Guideline 203 (Fish, |
| dimethacrylate | | | | | Acute Toxicity Test) |
| 109-16-0 | | | | | |
| Cumene hydroperoxide | LC50 | 3,9 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, |
| 80-15-9 | | | | | Acute Toxicity Test) |
| maleic acid | LC50 | > 245 mg/l | 48 h | Leuciscus idus | DIN 38412-15 |
| 110-16-7 | | | | | |
| Reaction mass of N,N'- | LL50 | Toxicity > Water | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, |
| ethane-1,2-diylbis(12- | | solubility | | | Acute Toxicity Test) |
| hydroxyoctadecan-1-amide), | | | | | |
| Octadecanamide, 12-hydroxy- | | | | | |
| N-[2-[(1- | | | | | |
| oxooctadecyl)amino]ethyl] | | | | | |
| Reaction mass of N,N'- | NOELR | Toxicity > Water | 32 d | Pimephales promelas | OECD Guideline 210 (fish |
| ethane-1,2-diylbis(12- | NOELK | solubility | 32 u | l intepnates prometas | early lite stage toxicity test) |
| hydroxyoctadecan-1-amide), | | Solubility | | | carry ine stage toxicity test) |
| Octadecanamide, 12-hydroxy- | | | | | |
| N-[2-[(1- | | | | | |
| oxooctadecyl)amino]ethyl] | | | | | |
| | | | | | |
| L | 1 | l . | | I | |

Toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---------------|-----------------------------|---------------|---------------|--|
| Acetic acid, 2- phenylhydrazide 114-83-0 | EC50 | 1,1 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Cumene hydroperoxide 80-15-9 | EC50 | 18,84 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| maleic acid 110-16-7 | EC50 | 42,81 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | EL50 | Toxicity > Water solubility | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Menadione 58-27-5 | EC50 | 0,31 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

Chronic toxicity (aquatic invertebrates):

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 18 of 24

V015.0

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---------------|-----------------------------|---------------|---------------|--|
| Tetramethylene dimethacrylate 2082-81-7 | NOEC | 5,09 mg/l | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | NOEC | 32 mg/l | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |
| maleic acid 110-16-7 | NOEC | 10 mg/l | 21 d | Daphnia magna | other guideline: |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | NOEC | Toxicity > Water solubility | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |

Toxicity (Algae):

LOCTITE 577 ACC50ML EGFD Page 19 of 24

V015.0

SDS No.: 541371

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|---|-------|--------------------------------|---------------|---|--|
| CAS-No. | type | | _ | _ | |
| Tetramethylene dimethacrylate 2082-81-7 | EC50 | 9,79 mg/l | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Tetramethylene dimethacrylate 2082-81-7 | NOEC | 2,11 mg/l | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | EC50 | > 100 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | NOEC | 18,6 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | EC50 | 0,258 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | NOEC | 0,012 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Cumene hydroperoxide 80-15-9 | EC50 | 3,1 mg/l | 72 h | Desmodesmus subspicatus (reported as Scenedesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Cumene hydroperoxide 80-15-9 | NOEC | 1 mg/l | 72 h | Desmodesmus subspicatus (reported as Scenedesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| maleic acid 110-16-7 | EC50 | 74,35 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| maleic acid 110-16-7 | EC10 | 11,8 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | EC50 | Toxicity > Water solubility | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | EC10 | Toxicity > Water solubility | 72 h | Pseudokirchneriella subcapitata | Growth Inhibition Test) |
| Menadione 58-27-5 | EC50 | 0,064 mg/l | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Menadione 58-27-5 | NOEC | 0,009 mg/l | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, Growth Inhibition Test) |

Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---------------|-----------|---------------|----------------------------|--|
| Tetramethylene dimethacrylate 2082-81-7 | NOEC | 20 mg/l | 28 d | activated sludge, domestic | not specified |
| Cumene hydroperoxide 80-15-9 | EC10 | 70 mg/l | 30 min | not specified | not specified |
| maleic acid 110-16-7 | EC10 | 44,6 mg/l | 18 h | Pseudomonas putida | DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm- Test) |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 20 of 24

V015.0

12.2. Persistence and degradability

The product is not biodegradable.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Result | Test type | Degradability | Exposure | Method |
|---|---------------------------------|-----------|---------------|----------|--|
| CAS-No. | | | | time | |
| Tetramethylene dimethacrylate 2082-81-7 | readily biodegradable | aerobic | 84 % | 28 d | OECD Guideline 310 (Ready BiodegradabilityCO2 in Sealed Vessels (Headspace Test) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | readily biodegradable | aerobic | 85 % | 28 d | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | not readily biodegradable. | aerobic | 39 % | 28 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |
| Cumene hydroperoxide 80-15-9 | not readily biodegradable. | aerobic | 3 % | 28 d | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| maleic acid 110-16-7 | readily biodegradable | aerobic | 97,08 % | 28 d | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | not readily biodegradable. | aerobic | 22 % | 28 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | not inherently biodegradable | aerobic | 37 % | 60 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |
| Menadione 58-27-5 | not inherently biodegradable | aerobic | 0,000000 % | 28 d | OECD Guideline 302 C (Inherent Biodegradability: Modified MITI Test (II)) |

12.3. Bioaccumulative potential

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances CAS-No. | Bioconcentratio n factor (BCF) | Exposure time | Temperature | Species | Method |
|------------------------------|-----------------------------------|---------------|-------------|-------------|---------------------------------|
| Cumene hydroperoxide | 9,1 | | | calculation | OECD Guideline 305 |
| 80-15-9 | | | | | (Bioconcentration: Flow-through |
| | | | | | Fish Test) |

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 21 of 24

V015.0

12.4. Mobility in soil

Cured adhesives are immobile.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | ID | T | Method |
|---|--------|-------------|--|
| CAS-No. | LogPow | Temperature | Method |
| Tetramethylene dimethacrylate 2082-81-7 | 3,1 | | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |
| 2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0 | 2,3 | | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |
| Acetic acid, 2- phenylhydrazide 114-83-0 | 0,74 | | QSAR (Quantitative Structure Activity Relationship) |
| Cumene hydroperoxide 80-15-9 | 1,6 | 25 °C | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |
| maleic acid 110-16-7 | -1,3 | 20 °C | OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method) |
| Reaction mass of N,N'- ethane-1,2-diylbis(12- hydroxyoctadecan-1-amide), Octadecanamide, 12-hydroxy- N-[2-[(1- oxooctadecyl)amino]ethyl] | 5,86 | | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |
| Menadione 58-27-5 | 2,43 | 30 °C | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |

12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | PBT / vPvB |
|--|--|
| CAS-No. | |
| Tetramethylene dimethacrylate | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 2082-81-7 | Bioaccumulative (vPvB) criteria. |
| 2,2'-Ethylenedioxydiethyl dimethacrylate | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 109-16-0 | Bioaccumulative (vPvB) criteria. |
| Acetic acid, 2-phenylhydrazide | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 114-83-0 | Bioaccumulative (vPvB) criteria. |
| Cumene hydroperoxide | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 80-15-9 | Bioaccumulative (vPvB) criteria. |
| maleic acid | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 110-16-7 | Bioaccumulative (vPvB) criteria. |
| Reaction mass of N,N'-ethane-1,2-diylbis(12- | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| hydroxyoctadecan-1-amide), Octadecanamide, | Bioaccumulative (vPvB) criteria. |
| 12-hydroxy-N-[2-[(1- | |
| oxooctadecyl)amino]ethyl] | |
| | |
| Menadione | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 58-27-5 | Bioaccumulative (vPvB) criteria. |

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 22 of 24

V015.0

Product disposal:

Do not empty into drains / surface water / ground water.

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Waste code

08 04 09* waste adhesives and sealants containing organic solvents and other dangerous substances

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes
for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We
will be happy to advise you.

SECTION 14: Transport information

14.1. UN number or ID number

| ADR | Not dangerous goods |
|------|---------------------|
| RID | Not dangerous goods |
| ADN | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |
| | |

14.2. UN proper shipping name

| Not dangerous goods |
|---------------------|
| Not dangerous goods |
| Not dangerous goods |
| Not dangerous goods |
| lot dangerous goods |
| |

14.3. Transport hazard class(es)

| ADR | Not dangerous goods |
|------|---------------------|
| RID | Not dangerous goods |
| ADN | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |

14.4. Packing group

| ADR | Not dangerous goods |
|------|---------------------|
| RID | Not dangerous goods |
| ADN | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |

14.5. Environmental hazards

| ADR | not applicable |
|------|----------------|
| RID | not applicable |
| ADN | not applicable |
| IMDG | not applicable |
| IATA | not applicable |

14.6. Special precautions for user

ADR not applicable

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 23 of 24

V015.0

RID not applicable
ADN not applicable
IMDG not applicable
IATA not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 2024/590):

Prior Informed Consent (PIC) (Regulation (EU) No 649/2012):

Not applicable Persistent organic pollutants (Regulation (EU) 2019/1021):

Not applicable

VOC content < 3 % (2010/75/EC)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SDS No.: 541371 LOCTITE 577 ACC50ML EGFD Page 24 of 24

V015.0

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H242 Heating may cause a fire.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

ED: Substance identified as having endocrine disrupting properties

EU OEL:

EU EXPLD 1:

Substance with a Union workplace exposure limit

EU EXPLD 1:

Substance listed in Annex I, Reg (EC) No. 2019/1148

EU EXPLD 2

Substance listed in Annex II, Reg (EC) No. 2019/1148

SVHC:

Substance of very high concern (REACH Candidate List)

PBT:

Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.