

Safety data sheet according to UK REACH

Printing date 20.05.2025

Version number 29 (replaces version 28)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169
- · **Registration number** 01-2119457610-43
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International B.V. Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Sol. 1 H228 Flammable solid.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- Hazard statements
 H228 Flammable solid.

(Contd. on page 2)

Revision: 23.01.2025

GB

www.griffon.eu 1/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 1)

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P501 Dispose of contents/container in accordance with national regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

64-17-5 ethanol

- · Identification number(s)
- · **EC number**: 200-578-6
- · Index number: 603-002-00-5
- · 3.2 Mixtures
- · Description: Cleansing agent

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol	50-100%
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44- XXXX	Methanol	<1%

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

- CE

www.griffon.eu 2/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water haze

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 4.1 B

(Contd. on page 4)

GB

www.griffon.eu 3/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

67-56-1 Methanol

WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm

Sk

· DNELs

64-17-5 ethanol

Oral Consumer, oral, longterm exposition 87 mg/kg bw/day

Dermal Worker, dermal, longterm exposition 206 mg/kg bw/day (rat)

Inhalative Worker, inhalative, shortterm exposition Worker, inhalative, longterm exposition 200 mg/m³ (rat)

Worker, inhalative, longterm exposition 200 mg/m³ (rat)

So mg/kg bw/day 200 mg/kg bw/day 1900 mg/m³ (rat)

Consumer, inhalative, longterm exposition 114 mg/m³

67-56-1 Methanol

Oral Consumer, oral, shortterm exposition 4 mg/kg bw/day Consumer, oral, longterm exposition 4 mg/kg bw/day

Dermal Worker, dermal, shortterm exposition 20 mg/kg bw/day Worker, dermal, longterm exposition 20 mg/kg bw/day

Consumer, dermal, shortterm exposition

Consumer, dermal, longterm exposition

Consumer, dermal, longterm exposition

4 mg/kg bw/day

4 mg/kg bw/day

Worker, inhalative, shortterm exposition

130 mg/m³

Inhalative Worker, inhalative, shortterm exposition
Worker, inhalative, longterm exposition
Consumer DNEL, acute inhalation

130 mg/m³
130 mg/m³
26 mg/m³

Consumer, inhalative, longterm exposition 26 mg/m³

· PNECs

64-17-5 ethanol

Fresh water 0.96 mg/l

Fresh water sediment 3.6 mg/kg dry weight (rat)

Marine water 0.79 mg/l

Marine sediment 2.9 mg/kg dry weight (rat)

Soil 0.63 mg/kg
Sewage treatment plant 580 mg/l (rat)
Sporadic release 2.75 mg/l (rat)

(Contd. on page 5)

__ GB

www.griffon.eu 4/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Hand protection

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

Eye/face protection



Tightly sealed goggles

· Body protection: Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Solid
Clear
Alcohol-like
Not determined.
-89.5 °C

Boiling point or initial boiling point and

boiling range 78 °C

· Flammability Not determined.

Lower and upper explosion limit

Lower: 3.5 Vol %
Upper: 15 Vol %
Flash point: 13 °C
Auto-ignition temperature: 425 °C

(Contd. on page 6)

GB

www.griffon.eu 5/11



Safety data sheet according to UK REACH

Revision: 23.01.2025 Printing date 20.05.2025 Version number 29 (replaces version 28)

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 5)

Not determined. Decomposition temperature:

Not applicable. · pH

· Viscosity:

· Kinematic viscosity Not applicable. Dynamic at 20 °C: 1.2 mPas

· Solubility

· water at 20 °C: 1 g/l

· Partition coefficient n-octanol/water (log

Not determined. value)

59 hPa · Vapour pressure at 20 °C: Vapour pressure at 50 °C: 280 hPa

Density and/or relative density

Density at 20 °C: 0.785 g/cm³ · Relative density Not determined. Not applicable. · Vapour density See section 3. · Particle characteristics

· 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfianiting.

Product is not explosive. However, formation of · Explosive properties:

explosive air/vapour mixtures are possible.

· Solvent content:

· Organic solvents: 63.8 % 100.0 % · Solids content:

· Change in condition

Not applicable. · Evaporation rate

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void Void · Aerosols Oxidising gases Void · Gases under pressure Void · Flammable liquids Void

· Flammable solids Flammable solid.

· Self-reactive substances and mixtures Void · Pyrophoric liquids Void **Pyrophoric solids** Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit

Void flammable gases in contact with water · Oxidising liquids Void **Oxidising solids** Void

(Contd. on page 7)

www.griffon.eu



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 6)

· Organic peroxides	Void
· Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
64-17-5 ethanol		
Oral	LD50	10470 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	120 mg/l (rat)
67-56-1 Methanol		
Oral	LD50	100 mg/kg (rat)
Dermal	LD50	300 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.

(Contd. on page 8)

GB

www.griffon.eu 7/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 7)

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number	
· ADR/ADN, IMDG, IATA	UN1325
14.2 UN proper shipping name	
ADR/ADN	1325 FLAMMABLE SOLID, ORGANIC, N.O.S (ETHANOL (ETHYL ALCOHOL))
·IMDG	FLAMMABLE SOLID, ORGANIC, N.O.S (ETHANOL (ETHYL ALCOHOL))
·IATA	FLAMMABLE SOLID, ORGANIC, N.O.S (ETHANOL)

www.griffon.eu



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR/ADN



· Class 4.1 (F1) Flammable solids, self-reactive

substances, polymerizing substances and solid

desensitized explosives

· Label 4.1

· IMDG, IATA



· Class 4.1 Flammable solids, self-reactive substances,

polymerizing substances and solid desensitized

explosives

· Label 4.1

· 14.4 Packing group

· ADR/ADN, IMDG, IATA II

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Flammable solids, self-reactive

substances, polymerizing substances and solid

desensitized explosives

· Hazard identification number (Kemler code): 40

EMS Number: F-A,S-G

· Stowage Category

• Segregation Code SG72 See 7.2.6.3.2.

• 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Transport/Additional information:

• Quantity limitations On passenger aircraft/rail: 15 kg

On cargo aircraft only: 50 kg

· ADR/ADN

· Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

Transport category 2

Tunnel restriction code E

(Contd. on page 10)

- GB

www.griffon.eu 9/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 9)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 4.1, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 69
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

(Contd. on page 11)

- GB

www.griffon.eu 10/11



Safety data sheet according to UK REACH

Printing date 20.05.2025 Version number 29 (replaces version 28) Revision: 23.01.2025

Trade name: GRF PE CLNR SPECIAL WIPES DP 100*6 L169

(Contd. of page 10)

H311 Toxic in contact with skin.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H371 May cause damage to organs.

· Classification according to Regulation (EC) No 1272/2008		
Flammable solids	On basis of test data	
, ,	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.	

· Department issuing SDS: PSRA

· Contact: PSRA

Date of previous version: 21.01.2025
 Version number of previous version: 28

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Sol. 1: Flammable solids – Category 1 Acute Tox. 3: Acute toxicity – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

* Data compared to the previous version altered.

CP

www.griffon.eu 11/11