

Printing date 05.12.2024

Version number 149 (replaces version 148)

Revision: 05.12.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: GRF CLEANER PVC TI 500ML*12 L58 · CAS Number: 78-93-3 · EC number: 201-159-0 · Index number: 606-002-00-3 · Registration number 01-2119457290-43-XXXX 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Cleaning agent/ Cleaner 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Bison International B.V. Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com Further information obtainable from: PSRA · 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the GB CLP regulation. (Contd. on page 2) GB



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

(Contd. of page 1)

Trade name: GRF CLEANER PVC TI 500ML*12 L58

· Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Butanone
- · Hazard statements
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P280 Wear eye protection / face protection.
- P501 Dispose of contents/container in accordance with national regulations.
- · Additional information:
- EUH066 Repeated exposure may cause skin dryness or cracking.
- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Butanone
- · Hazard statements
- H336 May cause drowsiness or dizziness.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P280 Wear eye protection / face protection.
- P501 Dispose of contents/container in accordance with national regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 3)



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

· Determination of endocrine-disrupting properties

(Contd. of page 2)

List II

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 78-93-3 Butanone
- Identification number(s)
- · EC number: 201-159-0
- · Index number: 606-002-00-3

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints. No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Water haze
- Alcohol resistant foam

Fire-extinguishing powder

- Carbon dioxide
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)

GB



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation. • **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
 Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
 Ensure good ventilation/exhaustion at the workplace.

 Prevent formation of aerosols.
 Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

	rol parameters		
Ingredie	nts with limit values that require monitor	ing at the workplace:	
78-93-3 I	Butanone		
	ort-term value: 899 mg/m³, 300 ppm ng-term value: 600 mg/m³, 200 ppm		
	, BMGV		
DNELs			
78-93-3 I	Butanone		
Oral	Consumer, oral, longterm exposition	31 mg/kg bw/day	
Dermal	Worker, dermal, longterm exposition	1161 mg/kg bw/day	
	Consumer, dermal, longterm exposition	412 mg/kg bw/day	



Printing date 05.12.2024 Version numbe

4 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

		shortterm exposition	900 mg/m ³	(Contd. of page
		longterm exposition	600 mg/m ³	
	Consumer DNEL,	•	450 mg/m ³	
		ive, longterm exposition	<u> </u>	
PNECs	•		•	
78-93-3 B				
	ondary Poisoning	1000 mg/kg		
Fres	h water	55.8 mg/l		
Fres	h water sediment	284.7 mg/kg dry weigh	nt	
Mari	ne water	55.8 mg/l		
Mari	ne sediment	284.7 mg/kg dry weigh	nt	
Soil		22.5 mg/kg		
	age treatment plant	709 mg/l		
	adic release	55.8 mg/l		
-	ts with biological	limit values:		
78-93-3 B				
Sa) µmol/L edium: urine ampling time: post s arameter: butan-2-o			
Additiona	Il information: The	lists valid during the ma	aking were used as basis.	
8.2 Expos				
Individua General p The usual Keep awa Immediate Wash han Do not inh Avoid con Avoid con Respirato Use suitat Recomme Hand pro	ate engineering co I protection measu protective and hygi precautionary measury y from foodstuffs, but ely remove all soiled ds before breaks ar hale gases / fumes / tact with the eyes tact with the eyes ar ory protection: ble respiratory prote ended filter device	enic measures: sures are to be adhered everages and feed. and contaminated cloth and at the end of work. aerosols.	protective equipment I to when handling chemicals. hing nsufficient ventilation.	
Individua General p The usual Keep awa Immediate Wash han Do not inh Avoid com Avoid com Respirato Use suitat Recomme Hand pro Solvent re	ate engineering co I protection measu protective and hygi precautionary measury y from foodstuffs, but ely remove all soiled ds before breaks ar hale gases / fumes / tact with the eyes ar ory protection: ble respiratory prote ended filter device tection	Ires, such as personal enic measures: sures are to be adhered everages and feed. I and contaminated cloth and at the end of work. aerosols. Ind skin.	protective equipment I to when handling chemicals. hing nsufficient ventilation.	
Individua General p The usual Keep awa Immediate Wash han Do not inh Avoid com Avoid com Respirato Use suitat Recomme Hand pro Solvent re The glove	ate engineering co I protection measu protective and hygi precautionary measury y from foodstuffs, but ely remove all soiled ds before breaks are hale gases / fumes / tact with the eyes. tact with the eyes are pry protection: ble respiratory prote ended filter device tection sistant gloves Protective gloves e material has to b	Ires, such as personal enic measures: sures are to be adhered everages and feed. I and contaminated cloth ad at the end of work. aerosols. Ind skin. ctive device in case of i for short term use: Fil	protective equipment I to when handling chemicals. hing nsufficient ventilation.	substance/ t
Individua General p The usual Keep awa Immediate Wash han Do not inh Avoid com Avoid com Respirato Use suitat Recomme Hand pro Solvent re The glove preparatio	ate engineering co I protection measu protective and hygi precautionary measury from foodstuffs, bu- ely remove all soiled ds before breaks an iale gases / fumes / tact with the eyes. tact with the eyes an ory protection: ble respiratory prote ended filter device tection ensistant gloves Protective gloves e material has to b in. of the glove material	ares, such as personal enic measures: sures are to be adhered everages and feed. I and contaminated cloth and at the end of work. aerosols. Ind skin. ctive device in case of i for short term use: Fill be impermeable and r	protective equipment I to when handling chemicals. hing nsufficient ventilation. ter A	

(Contd. on page 6)



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

(Contd. of page 5)

Trade name: GRF CLEANER PVC TI 500ML*12 L58

· Material of gloves

Recommended thickness of the material: > 0,12 mm Butyl rubber, BR Nitrile rubber, NBR Recommended thickness of the material: > 0,7 mm • **Penetration time of glove material**

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

- For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4).
- · Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

Body protection: Solvent resistant protective clothing

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical properties		
General Information		
· Physical state	Fluid	
· Colour:	Colourless	
· Odour:	Like ketone	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	-86.3 °C	
Boiling point or initial boiling point and		
boiling range	79-80.5 °C (78-93-3 Butanone)	
· Flammability	Highly flammable.	
Lower and upper explosion limit		
· Lower:	1.8 Vol % (78-93-3 Butanone)	
· Upper:	11.5 Vol % (78-93-3 Butanone)	
Flash point:	-9 °C	
Auto-ignition temperature:	514 °C (78-93-3 Butanone)	
Decomposition temperature:	Not determined.	
·pH · · Hq	Not determined.	
· Viscosity:		
Kinematic viscosity	Not determined.	
· Dynamic at 20 °C:	0.4 mPas	
Solubility		
water at 20 °C:	290 g/l	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
· Vapour pressure at 20 °C:	105 hPa (78-93-3 Butanone)	
Density and/or relative density		
· Density at 20 °C:	0.804-0.807 g/cm³	
Relative density	Not determined.	
		(Contd. on page 7)

GB



Printing date 05.12.2024 Version

Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are no measurable or not relevant for the characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation o explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	100.0 %
VOC (EC)	100.00 %
Solids content:	0.0 %
Molecular weight	72.11 g/mol
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
classes Explosives	Void
classes Explosives Flammable gases	Void Void
classes Explosives Flammable gases Aerosols	Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases	Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void Void Highly flammable liquid and vapour.
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void Void Highly flammable liquid and vapour. Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void Highly flammable liquid and vapour. Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Highly flammable liquid and vapour. Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void Void Void
classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void Void Void Void Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.

(Contd. on page 8)

⁻ GB



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

(Contd. of page 7)

• **10.5 Incompatible materials:** No further relevant information available.

• **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

78-93-3 Butanone

Oral LD50 >2193 mg/kg (rat) Dermal LD50 >8050 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

List II

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 9)

GB



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

(Contd. of page 8)

Trade name: GRF CLEANER PVC TI 500ML*12 L58

12.7 Other adverse effects

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number ADR/ADN, IMDG, IATA	UN1193
14.2 UN proper shipping name	
ADR/ADN	1193 ETHYL METHYL KETONE (METHY ETHYL KETONE)
IMDG, IATA	ETHYL METHYL KETONE (METHYL ETHY KETONE)
14.3 Transport hazard class(es)	
ADR/ADN	
Class	3 (F1) Flammable liquids.
Label	3
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/ADN, IMDG, IATA	11



Printing date 05.12.2024 Versi

Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler cod EMS Number: Stowage Category	Warning: Flammable liquids. le): 33 F-E,S-D B
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1193 ETHYL METHYL KETONE (METHY ETHYL KETONE), 3, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors
- Substance is not listed.
- · Regulated poisons
- Substance is not listed.
- Reportable explosives precursors

Substance is not listed.

- · Reportable poisons
- Substance is not listed.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.

(Contd. on page 11)

⁻ GB



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 500ML*12 L58

· Seveso category P5c FLAMMABLE LIQUIDS

(Contd. of page 10)

3

3

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Department issuing SDS: PSRA · Contact: PSRA · Date of previous version: 14.10.2024 · Version number of previous version: 148 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3